

## Synergii wall hung pan suite | Slim line seat

SY04386

**Package comprised of:** Synergii wall hung pan and Arcisan concealed in-wall cistern with frame.



## Synergii wall hung pan | Slim line seat

SY04331



## Arcisan concealed in-wall cistern with frame

AR04460

## Synergii wall hung pan | Slim line seat

SY04331



**WELS:** 4 stars

**Litre/min:** 3/4.5L

**WELS License / Reg No:** 1483 / L04871

**Available colours:** White




### INFORMATION

The Synergii wall hung pan is stylish and functional. It has a rimless bowl eliminating the conventional box rim making this toilet very hygienic and easy cleaning. It's fitted with a soft close Haro seat, so one touch and it closes gently and quietly.

This pan features an easy clean coating on mixed in with the ceramic glaze.

### CARE AND MAINTENANCE

- All surfaces should be frequent cleaned with a mixture of mild, pH neutral soap and warm water with a soft cloth
- Do not use abrasive clothes, scouring pads on surfaces
- Do not use harsh cleaning agents i.e. cream cleaners or citrus based cleaners (see cleaning leaflet for comprehensive list)



**WARRANTY**  
10 years

\*Conditions apply.

**Requires AR04460:** Arcisan in-wall cistern with frame for installation.

streamline

Dimensions are in millimeters and are subject to manufacturing variations. Streamline Products reserves the right to vary specifications at any time without notice. Information provided within this specification sheet is correct at the date of printing. Please confirm all particulars with your sales consultant prior to purchase. Version: 1.1 - Sept 2024

## Arcisan concealed in-wall cistern with frame

ARO4460

**WELS:** 4 stars

**Litres/min:** 3/4.5L

**Pressure rating:** 150 - 500kPa


**Inlet position:** Top left

**Material:** High density polyethylene

### INFORMATION

In-wall cistern 80mm thick front access, mechanical operation with a metal frame.

Hot and cold water inlet pressures should be equal.



**WARRANTY**  
10 years

\*Conditions apply.

streamline

Dimensions are in millimeters and are subject to manufacturing variations. Streamline Products reserves the right to vary specifications at any time without notice. Information provided within this specification sheet is correct at the date of printing. Please confirm all particulars with your sales consultant prior to purchase. Version: 1.1 - Sept 2024